




# EMERALD



<b>Use:</b>	Transparent curtain fabric
<b>Number of colours:</b>	8 Special colours available from 200 m / 220 yds upwards.
<b>Material:</b>	100% Flameretardant polyester (Trevira CS)
<b>Fabric width:</b>	330 cm/130 inch/3.61 yard
<b>Can be railroded:</b>	Can be railroded
<b>Weight:</b>	55 g/m <sup>2</sup>
<b>Flame-retardant properties:</b>	
<b>Pattern repeat:</b>	Width: 30.0 cm/12 inch/0.33 yard Height: 30.0 cm/12 inch/0.33 yard
<b>Additional use:</b>	
<b>Care:</b>	
<b>Washing (length shrinkage):</b>	0.5%
<b>Dry cleaning (length shrinkage):</b>	1%
<b>Certificates / tests:</b>	Brenntest DIN 4102 B1 Fire Test Japan Fire Test M1 Lightfastness certificate

\*all testing reports can be downloaded from our website under product details

# EMERALD



Col. 0251



Col. 0252



Col. 0253




Col. 0254



Col. 0255



Col. 0256








Col. 0257



Col. 0258

# FILINO COLOR II



<b>Use:</b>	Semi-transparent curtain fabric
<b>Number of colours:</b>	42 Special colours available from 240 m / 260 yds upwards.
<b>Material:</b>	100% Linen
<b>Fabric width:</b>	300 cm/118 inch/3.28 yard
<b>Can be railroaded:</b>	Can be railroaded
<b>Weight:</b>	121 g/m <sup>2</sup>
<b>Additional use:</b>	
<b>Care:</b>	    
<b>Washing (length shrinkage):</b>	2%
<b>Dry cleaning (length shrinkage):</b>	1%
<b>Certificates / tests:</b>	Lightfastness certificate
	<small>*all testing reports can be downloaded from our website under product details</small>
<b>Special notes:</b>	- Combines with Scalino embroidery.



# FILINO COLOR II



Col. 0021



Col. 0022



Col. 0023



Col. 0024



Col. 0025



Col. 0026



Col. 0027



Col. 0028




Col. 0029



Col. 0030



Col. 0031



Col. 0032



Col. 0033



Col. 0034



Col. 0035



Col. 0036



Col. 0037



Col. 0038



Col. 0039



Col. 0040



Col. 0041



Col. 0042



Col. 0043



Col. 0044



Col. 0045



Col. 0051



Col. 0052




Col. 0053



Col. 0054



Col. 0055




Col. 0056



Col. 0057




Col. 0058



Col. 0059



Col. 0060



Col. 0061



Col. 0062



Col. 0063




Col. 0064



Col. 0065












Col. 0066



Col. 0067

# ATOMIC



- Use:** Transparent curtain fabric
- Number of colours:** 8  
Special colours available from 200 m / 220 yds upwards.
- Material:** 100% Flameretardant polyester (Trevira CS)
- Fabric width:** 140 cm/55 inch/1.53 yard
- Weight:** 245 g/m<sup>2</sup>
- Flame-retardant properties:** 
- Additional use:** 
- Care:**     
- Washing (length shrinkage):** 1.5%
- Dry cleaning (length shrinkage):** 1.5%
- Certificates / tests:** Fire Test DIN 4102 B1  
Fire Test Japan  
Fire Test M1  
Lightfastness certificate  
Special notes
- Special notes:** - The fabric has a natural tendency to stretch, therefore: this fabric is only suitable for making up in applications where the fabric falls and gathers on the floor.

\*all testing reports can be downloaded from our website under product details


# ATOMIC



Col. 0071



Col. 0072



Col. 0073



Col. 0074




Col. 0075



Col. 0076











Col. 0077



Col. 0078

# SAPHIR CRASH



- Use:** Semi-transparent curtain fabric
- Number of colours:** 13  
Special colours available from 200 m / 220 yds upwards.
- Material:** 100% Flameretardant polyester (Trevira CS)
- Fabric width:** 300 cm/118 inch/3.28 yard
- Can be railroded:** Has to be railroded
- Weight:** 70 g/m<sup>2</sup>
- Flame-retardant properties:** 
- Additional use:** 
- Care:**     
- Washing (length shrinkage):** 0.5%
- Dry cleaning (length shrinkage):** 0.5%
- Certificates / tests:** Brenntest DIN 4102 B1  
Fire Test Japan  
Fire Test M1  
Lightfastness certificate
- \*all testing reports can be downloaded from our website under product details



Col. 0001




Col. 0002



Col. 0003



Col. 0005



Col. 0006



Col. 0008



Col. 0009



Col. 0011




Col. 0012



Col. 0014



Col. 0015



Col. 0016



Col. 0022